

SEP. 19. 2005 12:36PM

919-854-1401 MBS&S

RECEIVED
CENTRAL FAX CENTER

NO. 0163 P. 1

SEP 19 2005

MYERS BIGEL SIBLEY & SAJOVEC, P.A.
Patent Attorneys
4140 Parklake Avenue, Suite 600, Raleigh, NC 27612
or
P.O. Box 37428
Raleigh, NC 27627
919-854-1400
Facsimile 919-854-1401

**TELECOPIER TRANSMISSION
COVER SHEET**

Date: September 19, 2005 **File Number:** 9023.21

Telecopier No.: 571-273-8300 **Telephone No.:**

To: Commissioner for Patents

Company: U.S. Patent and Trademark Office

From: Julie H. Richardson, Esq.

Number of Pages: 4 **Return fax to:** Rosa Lee

If there is a problem with this transmission, please call (919) 854-1400. Our fax number is (919) 854-1401.

**RESPONSE TO
NOTICE OF DRAWING INCONSISTENCY DATED SEPTEMBER 9, 2005**

In re: Application of Sleva et al.
Serial No.: 09/914,682
Filed: February 12, 2002
For: LOW PROFILE ACOUSTIC SENSOR ARRAY AND SENSORS
WITH PLEATED TRANSMISSION LINES AND RELATED METHODS

Confidentiality Note

The information contained in this facsimile message is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby prohibited. If you have received this telecopy in error, please immediately notify us by telephone and return the original message to us at the address above via the United States Postal Service. THANK YOU.

SEP. 19. 2005 12:36PM

919-854-1401 MBS&S

RECEIVED
CENTRAL FAX CENTER

NO. 0163 P. 2

SEP 19 2005

Attorney's Docket No. 9023-21

PATENT

IN THE UNITED STATES DESIGNATED OFFICE (DO/US)

In re: Application of Sleva et al.

Serial No.: 09/914,682

Filed: February 12, 2002

For: LOW PROFILE ACOUSTIC SENSOR ARRAY AND SENSORS
WITH PLEATED TRANSMISSION LINES AND RELATED METHODS

Date: September 19, 2005

MAIL STOP ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**RESPONSE TO NOTICE OF DRAWING INCONSISTENCY
WITH SPECIFICATION DATED SEPTEMBER 9, 2005**

Sir:

This is responsive to the Notice Of Drawing Inconsistency mailed September 9, 2005 regarding the above-referenced patent application. If any extension of time for the accompanying response or submission is required, Applicant requests that this be considered a petition therefor. The Commissioner is hereby authorized to charge any additional fee, which may be required, or credit any refund, to our Deposit Account No. 50-0220.

Amendments to the Specification on page 2 of this document.

Remarks begin on page 3 of this document.